
AASKIN

Smart Life Simplified





SMART MODULAR TOUCH

A Simple Touch for a Smarter Living

Complete Room Control


App Control

Schedules And Timers

Scene Activation

Voice Control

Wi-Fi Inbuilt



Smart Modular Touch enables you to control the devices manually or virtually. When the appliance is turned on, the device lights up blue in colour, thus avoiding physical check. It also allows you to automate the devices and control it from anywhere in the world via our App. It modernizes your switches and provide a smart look to your home.

VARIANTS : Smart Modular Touch - 2 Module | Smart Modular Touch - 4 Module | Smart Modular Touch - Fan Dimmer | Smart Modular Touch - HD 20A

FEATURES

Retrofit Design: All the variants of the Smart Modular Touch switches can replace two old mechanism switches each.

Robust Hardware: Advanced firmware and rugged hardware design for long-lasting performance.

Secure Wi-Fi: Equipped with secure Wi-Fi that controls appliances from anywhere.

Voice Assistant: The device supports all major voice assistants such as Alexa, Bixby, Google Assistant, Siri and more.

Running Hours: You can view the detailed running hours and control history for additional monitoring of the appliances.


Modern Structure: The exterior and the interior design of the device was made to provide elegant and modernized ambience to your home.

Timers And Schedules: Set cut-off timer so the appliances will turn off automatically.

Workflow And Scenes: Easy to create workflows as the controls are based on the schedules and timer settings.


IFTTT: Extend unlimited capablities with IFTTT like location-based control etc.

SMART MODULAR TOUCH - 2 MODULE




Modular Size: 2M
Switches: 2
Socket: 0
Fan: 0
HD: 0

SMART MODULAR TOUCH - 4 MODULE




Modular Size: 2M
Switches: 4
Socket: 0
Fan: 0
HD: 0

SMART MODULAR TOUCH - FAN DIMMER



Modular Size: 2M
Switches: 0
Socket: 0
Fan: 1
HD: 0

SMART MODULAR TOUCH - HD 20A



Modular Size: 2M
Switches: 0
Socket: 0
Fan: 0
HD: 1

TECHNICAL SPECIFICATIONS

Power Input: 240V AC, 50/60Hz

Colours: Black, White

Incandescent Lamp: 800W on each channel

LED Load: 120W or 6 Nos (whichever is higher) on each channel

Maximum Supportive Load: 7.5KW (32A)

Testing Switiching Cycles: 1,00,000 Ultra Flash Touch

Surge Protection: 2.5kv (tested up to 4kv)

Dimensions: 50 X 50 X 49mm

Communication Wi-Fi: Connects to 2.4 GHz, Wi-Fi 802.11 b/g/n

Application: LED Bulbs, Tube Lights, Charging Plug, Television, Set-top Box, Computers, etc.

AASKIN

Works Well With

Alexa

Google Assistant

Siri

Google Home

Available on the App Store

GET IT ON Google Play

Designed And Manufactured By

AASKIN AUTOMATION PVT LTD

SF-6, Second Floor, Gold Palace Onyx,

Pumpwell, Dakshina Kannada,

Karnataka- 575002 IN

www.aaskin.in

Customer Support

Email: support@aaskin.in

Call: 1800 2020 353

Designed By Qapfy.com